

Sabelt®

CATALOGUE 2025

RACING CATALOGUE 2025

Sabelt®

www.sabelt.com

 @sabeltofficial

 sabeltofficial

 Sabelt S.p.A.

Sabelt S.p.A.
Via Guido Rossa, 2
10024 Moncalieri (TO) Italia

Tel. +39 011 6477911
Fax +39 011 6477999
info@sabelt.com



FROM RACE TO SPACE



Sabelt

Sabelt®



12

HARNESSES

60

NETS

66

SEATS

106

RACEWEAR

148

STEERING WHEELS

152

ACCESSORIES



THE COMPANY



SINCE 1972



SAFETY



Sabelt, founded in 1972 by Piero and Giorgio Marsiaj, specializes in the development and production of car seats for performance road cars, racing products for motor racing and seatbelts for aerospace. The quality of Sabelt products is the result of intense research and development, which allows it to reach the highest levels of performance and safety. Sabelt invests 8% of its resources annually in research and development and is the only company in its sector to have an internal dynamic test laboratory to perform ECE and FIA tests, aimed at verifying the strength and effectiveness of its products.



We have provided the top historical car manufacturers with innovative restraint systems for decades.

DESIGN



Sabelt offers high performance levels integrated with style and design. Each component is designed and engineered either exclusively by Sabelt in support with external Design&Style centres or in partnership with the client.

For Sabelt, safety is of the utmost importance: first in the car, supplying the best seat belts in the world, second for drivers all over categories and championships.

INNOVATION



We transform ideas into products. We collaborate with our customers to study new and better solutions and meet specific needs and new requirements. All our products are the result of a process that brings together various novel ideas with engineering and technology.

SUSTAINABILITY



Sabelt works every day to integrate environmental, social and economic sustainability into its business model. The Company focuses on reducing environmental impact and improving working conditions to promote responsible and sustainable growth.

Our commitment:


- Clean energy from solar panels on the road to carbon neutrality
- Ethical governance with the 231 Model and Ethical Code

- Corporate welfare system and involvement of local community
- Reduce impact of finished products with recyclable and lightweight materials

Download our latest sustainability report to learn more



SAFETY AND LABORATORY



The pursuit of safety has played a key role since the foundation of Sabelt. We have been the first to equip the laboratories of our plant with a dynamic test which simulates crashes and pre - homologares products for the strict automotive standards: an innovative system prescribed by ECE and FIA regulations. All tests are conducted with the specific intent to maintain a bigger margin to the minimum required, with outstanding performance levels built with style and design.

PRODUCTION



All Sabelt products are designed and engineered exclusively by Sabelt in the operational headquarters in Turin, in collaboration with external design centers or in partnership with clients car makers.

AUTOMOTIVE SEATING



AEROSPACE AND DEFENSE



From the world of motorsport, Sabelt has developed a range of premium sports seats for the world's top car manufacturers. It designs and manufactures safety belts and seats for vehicles with a strong sporting connotation, dedicated to an advanced and demanding driver, that is sports oriented and has a particular attention to quality. Its main partners are: Ferrari, McLaren, Alpine, Abarth, Alfa Romeo, Jaguar, Cupra, Maserati and Aston Martin.

Sabelt is able to develop and implement new technologies dedicated to various applications of safety seatbelts in niche markets, such as the military, aviation, aerospace, exceptional transport and many other fields where technical and customized products are required. Since 2010, Sabelt has been the supplier of Thales Alenia Space Italia for the restraint systems of the Cygnus Orbital-ATK module (belts and nets).

BEYOND NEW FRONTIERS

Sabelt and the Dacia Sandriders join forces to improve safety in the world of rallying

The desert as a backdrop, sand and dirt as the stage for Sabelt's latest challenge: **innovating safety** in Rally Raid.

A challenge posed by the FIA and its Health and Safety Department who, through studies over the years, have found that **spinal injuries caused by a hard impact or landing are a common problem** reported by cross country rally drivers.

Rally cars are designed and built to compete in difficult environments and on the roughest of terrains, which presents unique challenges. Encounters with unexpected obstacles can result in large jumps and hard landings which the car, driver and co-driver must be able to handle safely. Accident analysis conducted by the FIA has shown that **the load on the spine, particularly during hard landings, can reach critical levels and pose a risk of injury**.

With this in mind, **Sabelt has teamed up with the Dacia Sandriders**, which will compete with the **Sandriders** prototype in the Dakar and the World Rally Raid Championship in 2025 on some of the world's most demanding outdoor test tracks.

Inspired by the Manifesto concept car, Dacia's ideas laboratory unveiled in 2022, Sandriders is a completely new vehicle designed specifically for rally-raids. This innovatively designed prototype focuses on agility and lightness, responding precisely to the essential needs of the driver and co-driver.

Sandriders was created to meet this challenge with an approach faithful to Dacia's 'robust & outdoor' concept, taken to the extreme.

And this is where Sabelt, with its decades of experience in motorsport safety, comes in as the ideal partner to raise the level of driver safety. Together with the Dacia Sandriders, **Sabelt designed a seat with high safety standards**, upholstered with special anti-bacterial moisture-regulating fabrics, **mounted on an innovative shock absorber from Prodrive**, a British technology company and motorsport team.

Overall, system **is able to cushion around 60 per cent of the impact** and provide greater safety for the pilots on board by bringing the peak load below the threshold value at which spinal injuries occur.

It is Sabelt's nature to push the boundaries of innovation, creating a safer future for riders and setting a new standard for protection in the most extreme racing environments.

#Sabeltmeans #safety



HARNESSSES



IMAGE FROM THE 2024 SEASON



FERRARI HYPERCAR
TECHNICAL PARTNER

FIA 8853-2016**GT / RALLY**

WRC HARNESS



CFCI4428G632SD7F



CFCI42170068



CFCI4210A622SD2F



CFCI4210A622SU2F



CFCI4335A633SU2F



CFCI22100165



CFCI22100162



CFCI22100167



CFCI4335S632SD2F



CFCI4210S622SU2F



CFCI4335S633SU2F

FORMULA

F1 HARNESS



CFCI4397G832FU6F



CFCI4393G622FU6F



CFCI4350A622FU3F



CFCI4350S622FU3F



CFCI43500064

FIA 8854/98**GT / RALLY**

CFCI4118A433SD4F



CFCI4118S433SD4F



CFCI4118S433SU4F



CFCI2000A422SD3F

(NO FIA)

RACING NET

CFRN2010



CFRN2012



CFRN2008



CFRN2003



CFRN2027



CFRN2002B

ECE 16**CLUBMAN**

CFCC4046 (NO ECE)



CFCC904001NP_A



CFCC904070NP_B



CFCC904059NP_B

WINDOW NET

Z280988



Z280985

BUCKLES**B1**

Tongues entry designed to simplify the driver fastening. Machined from solid aluminium.

**B5**

Tongues entry designed to simplify the driver fastening. Quick release with spring ejectors. 255 g

**B2**

With integrated crotch belt "T" type attachment. Aluminium. Patented buckle. 219 g

**B6**

Developed with Formula 1 Teams. Superlight buckle in machined from solid aluminium.

**B3**

For "Formula" safety belt developed in Formula 1. Aluminium. Protection for the lever. 192 g

**B4**

Buckle for 4 points safety belt. Aluminium. 184 g

**B7**

Developed for Endurance applications. 2019 and 2021 24h Le Mans winner. 266 g

ADJUSTERS**A9**

2" Quick release adjuster machined from solid aluminium. Developed in Formula1. 54 g

**A10**

2" Quick release adjuster machined from solid aluminium. Developed for double shoulder belt. 74 g

**A1**

Quick release adjuster for 3" webbing. Forged and anodized aluminium. 2021 24h Le Mans winner. 95 g

**A2**

Quick release adjuster for 2" webbing. Forged and anodized aluminium. 70 g

**A13**

Aluminium quick adjuster 2" with webbing guide. 2019 24h Le Mans winner. 78 g

**A16**

Lap strap tongue with integrated adjuster for 2" width webbing. Steel. 2021 24h Le Mans winner. 113 g

**A3**

Adjuster integrated to the buckle tongue designed for 2" webbing. Steel-aluminium. 2019 24h Le Mans winner. 123 g

**A4**

Adjuster for 2" webbing. Steel-aluminium. 113 g

**A5**

"America" adjuster for 3" webbing. Steel. 147 g

**A6**

"America" adjuster for 2" webbing. Steel. 94 g

**A14**

"Tribar" adjuster for 2" webbing. Steel. 80 g

**A7**

"Tribar" adjuster for 3" webbing. Steel. 110 g

**A8**

"Tribar" adjuster for 2" webbing. Steel. 80 g

**A12**

"Bufflug" steel adjuster. 63 g

**A11**

Steel "Stop" adjuster for 2" webbing. 24 g

**A15**

Ergal "Tribar" adjuster for 3" webbing. 64 g

FIXINGS

F1
Carabiner. Inox Steel. 24 g



F2A
Snap hook in combination with A7 or A8. Steel. 77 g



F2B
Sewn snap hook. Steel. 77 g



F3A
Fixing plate in combination with A7 or A8. Steel. 63 g



F3B
Sewn fixing plate. Steel. 63 g



F4
Sewn "P" type steel fixing plate. 47 g



F5
"Wrap around" fixing in combination with A7 or A8.



F6
"Sewn loop" fixing.



F7
Titanium double fixing plate for 2" webbing. For M8 screw. 38 g



F8
Small Sewn fixing plate. 45 g



F9
Small fixing plate. 44 g



F10
Double hole fixing plate. 38 g



F11
Sewn double hole fixing plate. 38 g



F12
X2 double hole fixing plate. 76 g

TONGUES

T1
Lap belt tongue with ergonomic bend. Steel. 32 g



T2
Shoulder belt tongue for 3" webbing. Steel. 30 g



T3
Shoulder belt tongue for 2" webbing. Steel. 23 g



T4
Titanium mini-tongue for CCG622FSR, CCG832FSR harnesses. 7 g



T5
Titanium tongue for E1 harnesses. 9 g



T6
Lap belt tongue with ergonomic bend. Titanium. 18 g



T7
Steel shoulder belt tongue +5 mm. 38 g

OPTIONALS

02
Logo printed directly on the webbing in high grip material for FHR.



04
Closure velcro for adjustable straps.



05
Ergonomic handle.



06
Intercom or Drink System cord.



07
Velcro on upper shoulder belt.



08
Vintage logo

GOLD Endurance

STANDARD FEATURES

GT/RALLY				GOLD	FIA 8853-2016		
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES			
A	B	C	D	■	■	■	
430	790	620	330	CFCI4428G632SD7F	CFCI2428G632SD7F	CFCI1428G632SD7F	

CFCI4428G632SD7F

CONFIGURATIONS ON DEMAND (See details at page 19)




MANUFACTURER: SABELT
MODEL: ENDURANCE
HOM. NO: SH.064.19-T-6
FIA STANDARD: 8853-2016

SILVER LPM



CFCI42170068

STANDARD FEATURES

GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	680	850	CFCI42170068	CFCI22170068	CFCI12170068



CONFIGURATIONS ON DEMAND (See details at page 19)





SILVER Endurance

STANDARD FEATURES

GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	680	850	CFCI4210A622SD2F	CFCI2210A622SD2F	CFCI1210A622SD2F

CFCI4210A622SD2F

CONFIGURATIONS ON DEMAND (See details at page 19)



MANUFACTURER: SABELT
MODEL: NEW SPEC SALOON
HOM. NO: SH.001.16-T-6
FIA STANDARD: 8853-2016


* Gadget kit not included.



SILVER GT 997 911 GT3

CFCI22100165 - STANDARD FEATURES

GT	SILVER	FIA 8853-2016
STANDARD MEASURES (mm)		STANDARD COLOURS/CODES
A 360	B 1700	C 720
D 390	CFCI42100165	CFCI22100165




APPROVED

MANUFACTURER: SABELT
MODEL: NEW SPEC SALOON
HOM. NO: SH001.16-T-6
FIA STANDARD: 8853-2016

SILVER GT 991-984 GT4

CFCI22100162 - STANDARD FEATURES

GT				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
450	380	700	765	CFCI42100162	CFCI22100162	CFCI12100162




MANUFACTURER: SABELT
MODEL: NEW SPEC SALOON
HOM. NO: SH001.16-T-6
FIA STANDARD: 8853-2016

SILVER Enduro 997 911 GT3

CFCI22100167 - STANDARD FEATURES

GT				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
360	1700	720	390	CFCI42100167	CFCI22100167	CFCI12100167



MANUFACTURER: SABELT
MODEL: NEW SPEC SALOON
HOM. NO: SH001.16-T-6
FIA STANDARD: 8853-2016



SILVER Rally

STANDARD FEATURES

GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	560+120	850	CFCI4210A622SU2F	CFCI2210A622SU2F	CFCI1210A622SU2F

CFCI4210A622SU2F

CONFIGURATIONS ON DEMAND (See details at page 19)



**MANUFACTURER: SABELT
MODEL: NEW SPEC SALOON
HOM. NO: SH.001.16-T-6
FIA STANDARD: 8853-2016**

* Gadget kit not included.


SILVER Rally 3x3

STANDARD FEATURES


GT/RALLY				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D	■	■	■
380	1700	560+120	850	CFCI4335A633SU2F	CFCI2335A633SU2F	CFCI1335A633SU2F

CFCI4335A633SU2F

CONFIGURATIONS ON DEMAND (See details at page 19)



MANUFACTURER: SABELT
MODEL: NEW SPEC S3
HOM. NO: SH.031.17-T-6
FIA STANDARD: 8853-2016



STEEL Rally 3x2

STANDARD FEATURES

GT/RALLY				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	680	850	CFCI4335S632SD2F	CFCI2335S632SD2F	CFCI1335S632SD2F



MANUFACTURER: SABELT
MODEL: NEW SPEC S3
HOM. NO: SH.031.17-T-6
FIA STANDARD: 8853-2016

CFCI4335S632SD2F


CONFIGURATIONS ON DEMAND (See details at page 19)



STEEL Rally



STANDARD FEATURES

GT/RALLY				STEEL	FIA 8853-2016		
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES			
A	B	C	D				
380	1700	560+120	850	CFCI4210S622SU2F	CFCI2210S622SU2F	CFCI1210S622SU2F	



CFCI4210S622SU2F

CONFIGURATIONS ON DEMAND (See details at page 19)



* Gadget kit not included.



STEEL Rally 3x3

STANDARD FEATURES

GT/RALLY				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
380	1700	560+120	850	CFCI4335S633SU2F	CFCI2335S633SU2F	CFCI1335S633SU2F

CFCI4335S633SU2F


CONFIGURATIONS ON DEMAND (See details at page 19)



GOLD Superformula 8p

CFCI4397G832FU6F - STANDARD FEATURES

FORMULA					GOLD		FIA 8853-2016	
STANDARD MEASURES (mm)					STANDARD COLOURS/CODES			
A	B2	B3	C	D				
360	495+105	430	975 FULL Length	960 FULL Length	CFCI4397G832FU6F	CFCI2397G832FU6F	CFCI1397G832FU6F	



MANUFACTURER: SABELT
MODEL: NEW SPEC F4
HOM. NO: SH.061.19-T-8
FIA STANDARD: 8853-2016



GOLD Superformula 6p

STANDARD FEATURES


FORMULA				GOLD		FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES			
A	B	C	D	■	■	■	■
360	370	975 FULL Length	960 FULL Length	CFCI4393G622FU6F	CFCI2393G622FU6F	CFCI1393G622FU6F	

CFCI4393G622FU6F


CONFIGURATIONS ON DEMAND (See details at page 19)





02



06



08



MANUFACTURER: SABELT
MODEL: NEW SPEC F3
HOM. NO: SH.047.18-T-6
FIA STANDARD: 8853-2016


SILVER Formula

STANDARD FEATURES


FORMULA				SILVER	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
440	700	530+120	1200	CFCI4350A622FU3F	CFCI2350A622FU3F	CFCI1350A622FU3F

CFCI4350A622FU3F

CONFIGURATIONS ON DEMAND (See details at page 19)



MANUFACTURER: SABELT
MODEL: NEW SPEC F2
HOM. NO: SH.033.17-T-6
FIA STANDARD: 8853-2016




STEEL Formula basic

STANDARD FEATURES


FORMULA				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D	■	■	■
440	700	530+120	1200	CFCI4350S622FU3F	CFCI2350S622FU3F	CFCI1350S622FU3F

CFCI4350S622FU3F

CONFIGURATIONS ON DEMAND (See details at page 19)



MANUFACTURER: SABELT
 MODEL: NEW SPEC F2
 HOM. NO: SH.033.17-T-6
 FIA STANDARD: 8853-2016





STEEL Formula mid

STANDARD FEATURES

FORMULA				STEEL	FIA 8853-2016	
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES		
A	B	C	D			
440	320	400+120	950	CFCI43500059	CFCI23500059	CFCI13500059

CFCI43500064

CONFIGURATIONS ON DEMAND (See details at page 19)




MANUFACTURER: SABELT
MODEL: NEW SPEC F2
HOM. NO: SH.033.17-T-6
FIA STANDARD: 8853-2016



SILVER 911 passenger

CFCI2000A422SD3F - STANDARD FEATURES

GT / ROAD				SILVER	FIA 8854/98
STANDARD MEASURES (mm)				STANDARD COLOURS/CODES	
A	B	C			
360	1700	720		CFCI4000A422SD3F	CFCI2000A422SD3F



NOT HOMOLOGATED



SILVER Kit Car

STANDARD FEATURES

SALOON - FOR KIT CAR "W"			SILVER	FIA 8854/98		
STANDARD MEASURES (mm)			STANDARD COLOURS/CODES			
A	B	C		CFCI4118A433SD4F	CFCI2118A433SD4F	CFCI1118A433SD4F
480	450	130+610				

CFCI4118A433SD4F

CONFIGURATIONS ON DEMAND (See details at page 19)



MANUFACTURER: SABELT
MODEL: TOP FORMULA
HOM. NO: B.122.T/98
FIA STANDARD: 8854/98



STEEL Kit Car

STANDARD FEATURES

SALOON - FOR KIT CAR "C"			STEEL	FIA 8854/98		
STANDARD MEASURES (mm)			STANDARD COLOURS/CODES			
A	B	C				
480	450	130+610		CFCI4118S433SD4F	CFCI2118S433SD4F	CFCI1118S433SD4F

CFCI4118S433SD4F

CONFIGURATIONS ON DEMAND (See details at page 19)



MANUFACTURER: SABELT
MODEL: TOP FORMULA
HOM. NO: B.122.T/98
FIA STANDARD: 8854/98

STEEL Four Point

CFCI4118S433SU4F - STANDARD FEATURES

SALOON			STEEL	FIA 8854/98		
STANDARD MEASURES (mm)			STANDARD COLOURS/CODES			
A	B	C				
380	1700	560+120		CFCI4118S433SU4F	CFCI2118S433SU4F	CFCI1118S433SU4F



A1 OPTIONAL

Quick release adjuster.
Forged and anodized aluminium.



EYE BOLTS AND PLATES



407005_C
Standard eye-bolt diam. 7/16" UNF thread length 23 mm, 25 mm tot., 8.8. Does not comply with FIA requirements.

CCMI0023
Eye-bolt metric M10 x 1.5 thread length 23 mm, 8.8. Does not comply with FIA requirements.

CCMI0017_A WESTFIELD
Eye-bolt 50 mm. long, 7/16", 8.8

CCMI0016
Eye-bolt back plate 65 mm x 65 mm x 3 mm 7/16" UNF thread welded nut, 40 mm². Complies with FIA requirements.

CAMI0152
Kit with screw 7/16"

CAMI0151
Washer e bushing M8)

PADS



Vep fabric shoulder cover. 75 mm (3") width. Velcro fastening.

475040	475020	475010
--------	--------	--------

Vep fabric shoulder cover. 50 mm (2") width. Velcro fastening.

450040/S	450020/S	450010/S
----------	----------	----------

COLORED GADGET KIT FOR ENDURANCE BUCKLES B1 TYPE



CCAC0104_KIT
Straps.



CCET0408_KIT
Stickers.



CFCC4046

SALOON

FIXING POINTS	4
HOMOLOGATION	NOT HOMOLOGATED
STANDARD COLOURS/CODES	
■	CFCC4046
■	CFCC2046
■	CFCC1046

Available on demand buckle with switch for SBR sensor

**CFCC904001NP_A**

SALOON

FIXING POINTS	4
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
■	CFCC904001NP_A
■	CFCC902001NP_A
■	CFCC901001NP_A

Available on demand buckle with switch for SBR sensor

**CFCC904070NP_B**

SALOON

FIXING POINTS	4
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
■	CFCC904070NP_B
■	CFCC902070NP_B
■	CFCC901070NP_B

Available on demand buckle with switch for SBR sensor

**CFCC904002NP_A**

SALOON

CFCC904059NP_B

SALOON

FIXING POINTS	3
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
■	CFCC904059NP_B
■	CFCC902059NP_B
■	CFCC901059NP_B

Available on demand buckle with switch for SBR sensor

**CFCC904002NP_A**

SALOON

FIXING POINTS	3
HOMOLOGATION	ECE
Homologation updated to series 08	
STANDARD COLOURS/CODES	
■	CFCC904002NP_A
■	CFCC902002NP_A
■	CFCC901002NP_A

Available on demand buckle with switch for SBR sensor



NETS



CFRN2010 (GT-3 Door side)


RACING NET - DEVELOPED WITH FERRARI COMPETIZIONI GT



APPROVED

MANUFACTURER: SABELT
MODEL: CFRN2010
HOM. NO: RN.028.22
FIA STANDARD: 8863-2013

This configuration is homologated for F296.
Specifically developed for Ferrari F171 seat.



CFRN2012 (GT-3 Tunnel side)


RACING NET - DEVELOPED WITH FERRARI COMPETIZIONI GT



APPROVED


MANUFACTURER: SABELT
MODEL: CFRN2012
HOM. NO: RN.029.22
FIA STANDARD: 8863-2013

This configuration is homologated for F296.
Specifically developed for Ferrari F171 seat.



CFRN2008 (Universal Gold)

RACING NET




CODE	
ONE VERSION COMPLETE	CFRN2008
ONE VERSION TRIANGULAR ASSEMBLY WITH BUCKLE	CFRN2004
FRONT STRAP	CFRN2005

FIA APPROVED

MANUFACTURER: SABELT
MODEL: CFRN2008
HOM. NO: RN.025.21
FIA STANDARD: 8863-2013

CFRN2027 (New Universal Steel)


RACING NET



CODE	
ONE VERSION	CFRN2027

CFRN2003 (Universal Tunnel side)

RACING NET




CODE	
LEFT VERSION	CFRN2003LH
RIGHT VERSION	CFRN2003RH

FIA APPROVED

MANUFACTURER: SABELT
MODEL: CFRN2003
HOM. NO: RN.015.18
FIA STANDARD: 8863-2013

CFRN2002B (Universal Steel)

RACING NET



CODE	
ONE VERSION	CFRN2002B

FIA APPROVED

MANUFACTURER: SABELT
MODEL: CFRN2002
HOM. NO: RN.020.20
FIA STANDARD: 8863-2013

Z280988


WINDOW NET

Professional window net.
 • Rollcage fixing clamps
 • Rigid metal bars
 • Quick release with push button
 • Tightening adjusters
 • Polyester webbing
 In compliance with Fia regulation.

**Z280985**

WINDOW NET

Professional window net
 • Red webbing opening System
 • Tightening adjusters
 • Rollcage mounting
 • Polyester webbing
 In compliance with Fia regulation.



SEATS

Sabelt®

FIA 8862-2009

GT/RALLY/CIRCUIT

**GT-PRO**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M-L-XL

**GT-635**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M-L-XL

CIRCUIT ONLY

**GT-X GT3**

- Shell: CARBON
- Fixing: SIDE + REAR BRACKETS
- Size: M-L-XL

**GT-X CHP**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M-L-XL

**GT-MCL**

- Shell: CARBON
- Fixing: SIDE + REAR BRACKETS
- Size: L-XL

**GT-635**

- Shell: CARBON
- Fixing: BRACKETS/SLIDING TRACKS
- Size: M-L-XL

SFI 39.1

NASCAR

**GT-910**

- Shell: CARBON
- Fixing: BRACKETS
- Size: M

FIA 8855-2021

HEAD PROTECTION

**SPINE**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: M-L-XL

**GT-AM**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: M-L-XL

FIA 8855-1999

HEAD PROTECTION

**X-PAD CARBON**

- Shell: CARBON
- Fixing: BRACKETS
- Size: L

**X-PAD RALLYCROSS**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: L

**X-PAD**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: L

**GT-PAD**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: M-L-XL

**TAURUS**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: M-L-XL

NO HEAD PROTECTION

**TITAN MAX**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: XL

**GT-3**

- Shell: FIBERGLASS
- Fixing: BRACKETS
- Size: L

KIT - SPINE

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
■	M-35	RCSPINEPADMN
■	L-25	RCSPINEPADLN
■	XL-15	RCSPINEPADXLN

**CUSHIONS - TITAN / TAURUS****CUSHIONS - GT-PRO / GT-AM****S3**
Seatback cushion th. 20 mm

RRGTPRO0014

**S2**
Size pads

th. 10 mm RRGTPRO0041

**CS5**
Seat cushion

th. 20 mm RRGTPRO0015

**CS4**
Seat cushion

th. 20 mm RRGTPRO0016

th. 40 mm RRGTPRO0040

th. 25 mm RRGTPRO0043

th. 30 mm RRGTPRO0044

**S1**
Seatback cushion th. 20 mm

TITAN RRTITAU002_A

TITAN MAX RRTITAU003_A

TAURUS RRTITAU002_A

TAURUS MAX RRTITAU003_A

**CS1**
Lower cushion th. 20 mm

TITAN RRTITAU004_A

TITAN MAX RRTITAU007_A

TAURUS RRTITAU004_A

TAURUS MAX RRTITAU007_A

**CS2**
Lower cushion th. 40 mm

TITAN RRTITAU005_A

TITAN MAX RRTITAU008_A

TAURUS RRTITAU005_A

TAURUS MAX RRTITAU008_A

**CS3**
Lower cushion th. 50 mm

TITAN RRTITAU006_A

TITAN MAX RRTITAU009_A

TAURUS RRTITAU006_A

TAURUS MAX RRTITAU009_A

**PG1**

Leg cushion th. 40 mm

TITAN RRTITAU010_A

TITAN MAX RRTITAU012_A

TAURUS RRTITAU010_A

TAURUS MAX RRTITAU012_A

**PG2**

Leg cushion th. 50 mm

TITAN RRTITAU011_A

TITAN MAX RRTITAU013_A

TAURUS RRTITAU011_A

TAURUS MAX RRTITAU013_A

**CPR**

Lower back support

RRTITAU014_A

**CL**

Lumbar support

RRTITAU001_A

FIXING BRACKETS



F1
Steel brackets, th. 3mm, in compliance with FIA.
Z200087_A



F2
Aluminium brackets, th. 5 mm, in compliance with FIA.
Z200005_C



F3
Sliding tracks, travel 230 mm. No FIA.
Z200002_A



F4
Steel brackets for GT-635. Fia Homologated 8862-2009. Bolts included.
Note: Specify the seat size during the order.
RCST635FIX_KIT



F5
Sliding tracks for GT-635. Fia Homologated 8862-2009. Bolts included.
Size M: **RCST635SLIDINGM_KIT**
Size L/XL: **RCST635SLIDINGXL_KIT**



F8
Brackets for GT-PRO M. Fia Homologated 8862-2009. Bolts included.
RFST0028_KIT



F11
Brackets for GT-PRO XL. Fia Homologated 8862-2009. Bolts included.
RFST0032_KIT - RFST0033_KIT
RFST0036_KIT - RFST0038_KIT
RFST0047_KIT



F12
Steel bracket for 8855-2021 homologated seats. Bolts included.
RFST0071_KIT



F12 bis
Steel bracket for 8855-2021 homologated seats. Bolts included.
RFST0051_KIT



F12 ter
Steel bracket for 8855-2021 homologated seats. Bolts included.
RFST0095_KIT



F13
Steel brackets for GT-X GT3.
Fia Homologated 8862-2009. Bolts included.
RFST0049_KIT - RFST0091_KIT
RFST0093_KIT



F15
Sliding tracks for GT-X CHP. Fia Homologated 8862-2009. Bolts included.
Size M: **RFST0077_KIT**
Size L/XL: **RFST0078_KIT**



F16
Steel brackets for GT-X CHP.
Fia Homologated 8862-2009. Bolts included.
RFST0083_KIT



F17
Steel brackets for GT-MCL.
Fia Homologated 8862-2009. Bolts included.
RFST0067LH_KIT - RTST0067RH_KIT



F17 bis
Steel brackets for GT-MCL.
Fia Homologated 8862-2009. Bolts included.
RFST0068_KIT



F17 ter
Steel Brackets for GT-MCL.
Fia Homologated 8862-2009
RFST0069



F18
Steel Brackets for GT-AM specific for F458.
NOT HOMOLOGATED
RFST0041



F19
Steel Brackets specific for GT-PROXL for porsche 991GT3 - 992GT3R.
RFST0082


UNIVERSAL BRACKET

Compatible with all seats



F14
Universal seat subframe to be adapted to the vehicle body floor according to FIA 253-65B Annex J instructions.
- 2x 35 mm squared section pipes
- 4x end plates (90x45) mm
- 4x steel plates (110x65) mm
- 4x M8 bushing
RFST0079

LEGEND SEAT DIMENSIONS CHART









SHELL DIMENSIONS (mm)

A	Length
B	Height
C	External shoulder width
D	External lower frontal width
E	External lower rear width
F	Lateral interaxis distance
G	Rear lower cushion width
H	Frontal lower cushion width
I	Internal shoulder width
L	Central seatback width
M	Internal head protection width
N	Central bezel height
P	Shell weight (kg)

INTERNAL SEAT DIMENSIONS (mm)

G	Rear lower cushion width
H	Frontal lower cushion width
I	Internal shoulder width
L	Central seatback width
M	Internal head protection width
N	Central bezel height
P	Seat weight (kg)

8862-2009 / 8855-2021**8855-1999****8862-2009****GTPRO**

		CHASSIS FIXING								SEAT FIXING					
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	SCREW	O.TY	STRENGTH CLASS	SCREW	O.TY	STRENGTH CLASS
F8	RFST0025	58,5	20	105	22	428,5	435,5	406,5	40	M8	8	12,9	M12	4	12,9
	RFST0028	73		119,5	22,5	416	448	406,5	40	M8	8	12,9	M12	4	12,9
F11	RFST0032	67,5	30	84,5	60	475,4	488,4	401	59	M8	8	12,9	M12	4	12,9
	RFST0033	127	30	144	60	475,4	488,4	401	59	M8	8	12,9	M12	4	12,9
F11	RFST0036	94	/	124,5	23	418,5	445	406,5	40	M8	8	12,9	M12	4	12,9
	RFST0038	50,5	20	84	20	473	483	391,8	40	M8	8	12,9	M12	4	12,9
F19	RFST0047	90,5	20	124	40	472,7	482,5	391,8	40	M8	8	12,9	M12	4	12,9
	RFST0082	127	27	113,5	42	409	-	390	-	M10	4	10,9	M12	4	12,9

GT-MCL

		CHASSIS FIXING								SEAT FIXING					
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	SCREW	O.TY	STRENGTH CLASS	SCREW	O.TY	STRENGTH CLASS
F17	RFST0067_Lh+Rh	125	12	145	50	398	414	423	80	m8	4	12,9	M12	4	12,9

GT-635 M e XL

		CHASSIS FIXING								SEAT FIXING					
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	SCREW	O.TY	STRENGTH CLASS	SCREW	O.TY	STRENGTH CLASS
F4	RFST0011	106	18	146	34	432		406,5	40	M8	8	12,9	M12	4	12,9
F5	RFST635M_A RFST635XL_A	106	18	146	34	432		406,5		M8	8	12,9	M12	4	12,9

GT-X

		CHASSIS FIXING								SEAT FIXING					
		A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	SCREW	O.TY	STRENGTH CLASS	SCREW	O.TY	STRENGTH CLASS
F13	RSFT0049	90	20	159	20	405	375	360	60	M8	8	12,9	M12	4	12,9
F15	RFST0078_KIT	78	20	145	60	473,5	490	461		M10	4	10,9	M12	4	12,9
F16	RFST0077_KIT	78	20	145	60	473,5	490	461		M10	4	10,9	M12	4	12,9
F16	RFST0083_KIT	78	20	145	60	473,5	490	461		M10	4	10,9	M12	4	12,9

8855-2021**SPINE**

		CHASSIS FIXING								SEAT FIXING						
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	SCREW	O.TY	STRENGTH CLASS	SCREW	O.TY	STRENGTH CLASS
F12	RFST0051	A	102	75,5	80	80	451	482,7	414	125	M10	4	12,9	M12	4	12,9
F12	RFST0071	B	110	195	110	188	396,5	412,5	537	144	M10	4	10,9	M12	4	12,9
F12	RFST0095	A	122	78	108	78	437	473	519	126	M10	4	10,9	M12	4	12,9

SPINE M


		CHASSIS FIXING								SEAT FIXING						
		CONFIG.	A1(mm)	A2(mm)	B1(mm)	B2(mm)	Y1(mm)	Y2(mm)	X1(mm)	X2(mm)	SCREW	O.TY	STRENGTH CLASS	SCREW	O.TY	STRENGTH CLASS
F12	RFST0051	A	102	75,5	80	80	404	436	414	125	M10	4	12,9	M12	4	12,9
F12	RFST0071	B	110	195	110	188	350	366	537	144	M10	4	10,9	M12	4	12,9
F12	RFST0095	A	122	78	108	78	390	426	519	126	M10	4	10,9	M12	4	12,9

GT-AM
<

GT-PRO

GT/RALLY/CIRCUIT

CARBON	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8862-2009



Sizes		
M	L	XL
SHELL DIMENSIONS (mm)		
A	825	795
B	770	770
C	625	644
D	443	482
E	389	427
F	340	340
G	8,5*	9,3*
INTERNAL SEAT DIMENSIONS (mm)		
G	302	325
H	343	335
I	430	440
J	321	340
K	328	330
L	512	512
M	10,1	11,2
N	11,2	11,2

* Shell weight $\pm 10\%$



FIXING BRACKETS



F8




F11



F19

FOR PORSCHE ONLY

FLOOR FIXING



SEE SCHEME ON PAGE 76

• Size: **M**
• Cod: **RFSEGTPROPADM**
 APPROVED
MANUFACTURER: SABELT
MODEL: GT-PRO M
HOM. NO: AS.081.19
FIA STANDARD: 8862-2009


• Size: **L**
• Cod: **RFSEGTPROPADL**
 APPROVED
MANUFACTURER: SABELT
MODEL: GT-PRO XL
HOM. NO: AS.086.20
FIA STANDARD: 8862-2009

• Size: **XL**
• Cod: **RFSEGTPROPADXL**
 APPROVED
MANUFACTURER: SABELT
MODEL: GT-PRO XL
HOM. NO: AS.086.20
FIA STANDARD: 8862-2009

GT-635

CIRCUIT ONLY (with sliding tracks) - GT/RALLY/CIRCUIT (with fixed brackets)

CARBON	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8862-2009



Sizes		
M	L	XL
SHELL DIMENSIONS (mm)		
A	530	540
B	910	930
C	656	676
D	472	502
E	400	430
F	290	290
G	8,4*	11,3*
INTERNAL SEAT DIMENSIONS (mm)		
G	316	337
H	349	364
I	541	546
L	368	417
M	317	325
N	670	656
O	10,9	13,8
P	656	656
Q	13,5	13,5

* Shell weight ± 10%

SPARES AND ACCESSORIES



KIT COVER

RRGT635015 (GT635M)
RRGT635017 (GT635XL)




FIXING BRACKETS



F4 GT/CIRCUIT



F5 CIRCUIT ONLY



SEE SCHEME ON PAGE 76



CIRCUIT ONLY

• with sliding tracks

Size: M

• Cod: RFSEGT635DMN



MANUFACTURER: SABELT
MODEL: GT-635 M
HOM. NO: AS.057.16
FIA STANDARD: 8862-2009

Size: L

• Cod: RFSEGT635DLN



MANUFACTURER: SABELT
MODEL: GT-635 XL
HOM. NO: AS.058.16
FIA STANDARD: 8862-2009

Size: XL

• Cod: RFSEGT635DXLN



MANUFACTURER: SABELT
MODEL: GT-635 XL
HOM. NO: AS.058.16
FIA STANDARD: 8862-2009

GT/RALLY/CIRCUIT

• with fixed brackets

Size: M

• Cod: RFSEGT635MN



MANUFACTURER: SABELT
MODEL: GT-635 M
HOM. NO: AS.060.16
FIA STANDARD: 8862-2009

Size: L

• Cod: RFSEGT635LN



MANUFACTURER: SABELT
MODEL: GT-635 XL
HOM. NO: AS.061.16
FIA STANDARD: 8862-2009

Size: XL

• Cod: RFSEGT635XLN



MANUFACTURER: SABELT
MODEL: GT-635 XL
HOM. NO: AS.061.16
FIA STANDARD: 8862-2009


GT-X GT3

CIRCUIT ONLY

8862-2009

Developed with Ferrari Competizioni GT

CARBON	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8862-2009



Sizes		
M	L	XL
SHELL DIMENSIONS (mm)		
A	456	479
B	848	848
C	606	606
D	458	458
E	418	418
F	340	340
G	310	320
H	320	330
I	410	425
J	290	300
K	350	350
L	710	710
M	12,5	13,5
N	340	350
INTERNAL SEAT DIMENSIONS (mm)		
G	310	320
H	320	330
I	410	425
J	290	300
K	350	350
L	710	720
M	12,5	13,5

* Shell weight $\pm 10\%$



FIXING BRACKETS




F13




6 POINTS BRACKETS

For more details please contact Sabelt Directly

FLOOR FIXING



SEE SCHEME ON PAGE 76



F296 GT3



• Size: M

• Cod: RFSEGTGXT3M



MANUFACTURER: SABELT
MODEL: GT-X M
HOM. NO: AS.102.22
FIA STANDARD: 8862-2009

• Size: L

• Cod: RFSEGTGXT3L



MANUFACTURER: SABELT
MODEL: GT-X XL
HOM. NO: AS.101.22
FIA STANDARD: 8862-2009

• Size: XL

• Cod: RFSEGTGXT3XL




MANUFACTURER: SABELT
MODEL: GT-X XL
HOM. NO: AS.101.22
FIA STANDARD: 8862-2009

GT-X CHP

8862-2009

CIRCUIT ONLY

CARBON	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8862-2009



Sizes		
M	L	XL
SHELL DIMENSIONS (mm)		
A	456	479
B	848	848
C	606	606
D	458	458
E	418	418
F	340	340
G	10*	10,5*
H	310	320
I	320	330
J	410	425
K	290	300
L	350	350
M	350	350
N	710	710
O	12,5	13,5
P	13,5	13,5

* Shell weight ± 10%



FIXING BRACKETS




F15



F16

FLOOR FIXING



SEE SCHEME ON PAGE 76



• Size: M

• Cod: RFSEGTXSABMPAD10



MANUFACTURER: SABELT
MODEL: GT-X CHP M
HOM. NO: AS.106.23
FIA STANDARD: 8862-2009

• Size: L

• Cod: RFSEGTXSABLPAD20



MANUFACTURER: SABELT
MODEL: GT-X CHP XL
HOM. NO: AS.105.23
FIA STANDARD: 8862-2009

• Size: XL

• Cod: RFSEGTXSABXLPAD10




MANUFACTURER: SABELT
MODEL: GT-X CHP XL
HOM. NO: AS.105.23
FIA STANDARD: 8862-2009

GT-MCL

8862-2009

CIRCUIT ONLY

CARBON	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8862-2009



L	XL
SHELL DIMENSIONS (mm)	
A	727,1
B	851
C	611,3
D	465,2
E	420,7
F	293
G	--*
INTERNAL SEAT DIMENSIONS (mm)	
G	337,1
H	330
I	379,4
L	408,6
M	371,6
N	605,4

* Shell weight $\pm 10\%$



FIXING BRACKETS



F17




F17 bis



F17 ter

FLOOR FIXING



SEE SCHEME ON PAGE 76



• Size: L
• Cod: RFGTFIFTYPADL
 APPROVED

MANUFACTURER: SABELT
MODEL: GT-MCL
HOM. NO: AS.103.23
FIA STANDARD: 8862-2009


• Size: XL
• Cod: RFGTFIFTYPADXL
 APPROVED

MANUFACTURER: SABELT
MODEL: GT-MCL
HOM. NO: AS.103.23
FIA STANDARD: 8862-2009

GT-910

NASCAR

CARBON	SHELL SIZE	SFI
M	39.1	

MADE IN USA

Sizes	
M	
SHELL DIMENSIONS (mm)	
A	779
B	925
C	714
D	499
E	508
F	202
Weight	19,0*

* Shell weight ± 10%

Full Carbon, Textreme external layer (unique design).
Weight in compliance with new standards (42 lbs weight). Headrest included.
Low COG (center of gravity).
NASCAR Approved
(69G sled test - SFI homologation - NASCAR 2015
quasi-static test).
Shell made of seat + asymmetric headrest.
Designed along with one of the most
prestigious NASCAR Team.
The seat is used and appreciated
by several Top Drivers.




- Size: **M**
- SHELL - Cod: **RGFT910M**
- HEADREST - Cod: **RCGT911AM**
- HEADREST+1" - Cod: **RCGT913AM**



SPINE

8855-2021

FIBERGLASS	SHELL SIZE	FIXING	FIA
	M - XL	BRACKETS	8855-2021



Sizes					
M			XL		
Pads (mm)			Pads (mm)		
SHELL DIMENSIONS (mm)					
A	670		670		
B	907		907		
C	583		627		
D	471,7		513,5		
E	390		436,5		
F	290		290		
G	10,8*		13,4*		
INTERNAL SEAT DIMENSIONS (mm)					
G	305	325	345	340	360
H	305	325	345	340	360
I	435	455	475	470	490
L	300	320	340	330	350
M	350	350	350	340	360
N	485	495	505	495	505
O	12,8*	12,8*	12,8*	15,4*	15,4*
P	12,8*	12,8*	12,8*	15,4*	15,4*

* Shell weight ± 10%

PAD KITS

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
■	M-35	RCSPINEPADMN
■	L-25	RCSPINEPADLN
■	XL-15	RCSPINEPADXLN



Racing Net Guide.
RFST0057_KIT


FIXING BRACKETS



F12




F12 bis



F12 ter

FLOOR FIXING



SEE SCHEME ON PAGE 76



* Attention: this code refers to the seat excluding the pad kits. The pad kits are provided/supplied separately.

• Size: M
• Cod: RFSESPINEBASEM *



MANUFACTURER: SABELT
MODEL: SPINE
HOM. NO: CS.014.23
FIA STANDARD: 8855-2021

• Size: XL
• Cod: RFSESPINEBASE *




MANUFACTURER: SABELT
MODEL: SPINE
HOM. NO: CS.011.22
FIA STANDARD: 8855-2021

GT-AM

8855-2021

FIBERGLASS	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8855-2021



Sizes		
M	L	XL
SHELL DIMENSIONS (mm)		
A	795	
B	770	
C	644	
D	482	
E	427	
F	290	
G	12*	
INTERNAL SEAT DIMENSIONS (mm)		
G	315	325
H	320	335
I	432	452
L	320	340
M	342	342
N	512	512
G	16,9	16,9
H	16,9	16,9

* Shell weight $\pm 10\%$ *

PAD KITS

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
■	M	RRGTPR00043
■	L	RRGTPR00042
■	XL	RRGTPR00041




Racing Net Guide.
RFST0057_KIT



FIXING BRACKETS



F12




F12 bis



F18
FOR FERRARI 458 ONLY

FLOOR FIXING



SEE SCHEME ON PAGE 76


* Attention: this code refers to the seat excluding the pad kits. The pad kits are provided/supplied separately.

• Size: XL
• Cod: RFSEGTTAMB BASE *
 APPROVED
MANUFACTURER: SABELT
MODEL: GT-AM
HOM. NO: CS.012.22
FIA STANDARD: 8855-2021

X-PAD CARBON

8855-1999

CARBON	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8855-1999



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	550
B	900
C	600
D	396
E	390
F	290
G	4,9*
H	362
I	368
J	447
K	358
L	338
M	661
N	6,3

* Shell weight $\pm 10\%$

PAD KIT

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE


COLOUR	SIZE	CODE
■	L	RCXPADNR



FLOOR FIXING



FIXING BRACKETS



SEE SCHEME ON PAGE 76



- Size: L
- Cod: RFSEXPADCARBON




APPROVED

MANUFACTURER: SABELT
MODEL: X-PAD CARBON
HOM. NO: CS.418.19
FIA STANDARD: 8855-1999

X-PAD RALLYCROSS

RALLYCROSS

FIBERGLASS	SHELL SIZE	FIXING	FIA
L	BRACKETS	8855-1999	



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	550
B	900
C	600
D	396
E	390
F	290
G	6,5*
H	372
I	378
J	460
K	370
L	340
M	661
N	7,3

INTERNAL SEAT DIMENSIONS (mm)

G	372
H	378
I	460
J	370
K	340
L	661
M	7,3

* Shell weight $\pm 10\%$ *

PAD KIT

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
■	L	RCXPADRCROSS3C

EXTRA 2 PADS 30 x 30 cm INCLUDED



FIXING BRACKETS




F1



F2

FLOOR FIXING



SEE SCHEME ON PAGE 76




* Attention: this code refers to the seat excluding the pad kits. The pad kits are provided/supplied separately.

• Size: L
• Cod: RFSEXPADRCROSS
(SEAT ONLY WITHOUT PADDING KIT)
 APPROVED
MANUFACTURER: SABELT
MODEL: X-PAD
HOM. NO: CS.419.19-
FIA STANDARD: 8855-1999

X-PAD

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	L	BRACKETS	8855-1999



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	550
B	900
C	600
D	396
E	390
F	290
G	6,0*
H	362
I	368
J	447
K	358
L	338
M	661
N	7,7

* Shell weight $\pm 10\%$

PAD KIT

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
■	L	RCXPADNR




FLOOR FIXING



F1

F2



FIXING BRACKETS




• Size: L
 • Cod: RFSEXPADNR
 APPROVED
 MANUFACTURER: SABELT
 MODEL: X-PAD
 HOM. NO: CS.419.19
 FIA STANDARD: 8855-1999

GT-PAD

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8855-1999



Sizes		
M	L	XL
SHELL DIMENSIONS (mm)		
A	744	
B	878	
C	670	
D	529	
E	471	
F	290	
G	8,9*	
INTERNAL SEAT DIMENSIONS (mm)		
G	365	380
H	405	420
I	540	550
J	346	356
K	380	380
L	660	660
M	660	660
N	10,7	10,6
* Shell weight ± 10%		

PAD KITS

THE KIT INCLUDES ALL THE PADS VISIBLE IN THE PICTURE

COLOUR	SIZE	CODE
■	M	RCGTPADKITMN
■	L	RCGTPADKITLN
■	XL	RCGTPADKITXLN
■■	M	RCGTPADKITMR
■■	L	RCGTPADKITLR
■■	XL	RCGTPADKITXLR




FIXING BRACKETS



F1

F2

FLOOR FIXING



SEE SCHEME ON PAGE 76




* Attention: this code refers to the seat excluding the pad kits. The pad kits are provided/supplied separately.

• Size: XL
• Cod: RFSEGPAD *
 APPROVED
MANUFACTURER: SABELT
MODEL: GT-PAD
HOM. NO: CS.391.18
FIA STANDARD: 8855-1999

TAURUS

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	M - L - XL	BRACKETS	8855-1999




Sizes		
M	L	XL
SHELL DIMENSIONS (mm)		
A	543	550
B	925	979
C	579	582
D	475	481
E	377	392
F	290	290
G	8,4*	9,0*
H	10,5	11,4
INTERNAL SEAT DIMENSIONS (mm)		
I	300	318
J	364	373
K	486	501
L	345	362
M	341	357
N	685	717
G	326	326
H	393	393
I	512	512
J	393	393
K	394	394
L	716	716
M	11,4	11,4

* Shell weight $\pm 10\%$

SPARES AND ACCESSORIES



FIXING BRACKETS



FLOOR FIXING

SEE SCHEME ON PAGE 76



• Size: M

• Cod: RFSETAURUSMN



MANUFACTURER: SABELT
MODEL: TAURUS TG M
HOM. NO: CS.368.17
FIA STANDARD: 8855-1999

• Size: L

• Cod: RFSETAURUSN



MANUFACTURER: SABELT
MODEL: TAURUS MAX
HOM. NO: CS.347.16
FIA STANDARD: 8855-1999

• Size: XL

• Cod: RFSETAURUSMAXN




MANUFACTURER: SABELT
MODEL: TAURUS MAX
HOM. NO: CS.347.16
FIA STANDARD: 8855-1999

TITAN MAX

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
	XL	BRACKETS	8855-1999




Sizes	
XL	
SHELL DIMENSIONS (mm)	
A	602
B	957
C	606
D	506
E	415
F	290
G	7,8*
H	313
I	367
J	517
K	379
L	-
M	690
N	9,9
O	

* Shell weight $\pm 10\%$

SPARES AND ACCESSORIES



FIXING BRACKETS



FLOOR FIXING

SEE SCHEME ON PAGE 76



- Size: XL
- Cod: RFSETITANMAXN




APPROVED

MANUFACTURER: SABELT
MODEL: TITAN MAX
HOM. NO: CS.350.16
FIA STANDARD: 8855-1999

GT-3

8855-1999

FIBERGLASS	SHELL SIZE	FIXING	FIA
L	BRACKETS	8855-1999	



Sizes	
L	
SHELL DIMENSIONS (mm)	
A	460
B	920
C	592
D	539
E	416
F	290
G	7,2*
H	355
I	386
J	469
K	354
M	-
N	706
O	9,8

* Shell weight $\pm 10\%$

SPARES AND ACCESSORIES



KP1

KP2




FLOOR FIXING



F1



F2



SEE SCHEME ON PAGE 76



FIXING BRACKETS

• Size: L
• Cod: RFSEGT3N
 APPROVED
MANUFACTURER: SABELT
MODEL: GT-3
HOM. NO: CS.355.17
FIA STANDARD: 8855-1999

RACEWEAR



FIA 8856-2018**SUITS****HERO SUPERLIGHT TS-10**

- Size: 46-66
- Weight: 265 g/m²
- SFI: 3.2A/5 - 3.4 available
- available

**HERO SUPERLIGHT WOMAN TS-10**

- Size: 38-60
- Weight: 265 g/m²
- SFI: 3.2A/5 - 3.4 available
- available

**UNIVERSE TS-8**

- Size: 44-66
- Weight: 310 g/m²
- SFI: 3.2A/5 - 3.4 available
- available

**CHALLENGE TS-2**

- Size: 44-66
- Weight: 360 g/m²
- SFI: 3.2A/5 - 3.4 available
- available

FIA 8856-2018**GLOVES****ROCKET TS-1**

- Size: S-XXXL
- Weight: 400 g/m²

**GECKOTECH TG-11**

- -
 -
 -
- Size: 8-12

**HERO SUPERLIGHT TG-10**

- -
 -
 -
 -
- Size: 8-12

**CHALLENGE TG-2.1**

- -
 -
- Size: 8-12

UNDERWEAR**PERSONAL UNDERWEAR****UI-600**

-
-
- Balaclava: ONE SIZE
- Top/Pant: XS-XXXXXL (slim fit)
- Socks: 38-46

UI-600 RF

-
-
- Top/Pant: S-XXXL (regular fit)

UI-200

-
-
- Balaclava: ONE SIZE
- Top/Pant: XS-XXL (slim fit)

UI-300

-
- Short (M): M-L
- Slip (W): M-L
- Bra: M-L

ACCESSORIES**DAKAR JACKET**

-
- Size: S-XXL

**COOL-VEST**

-
- Size: XS-S-M/L-XL/XXL
- SFI: 3.3/5 available

SHOES**HYPER TB-12** NEW

-
- Size: 38-46

**HERO PRO TB-10.1**

- -
 -
 -
- Size: 36-48

**UNIVERSE TB-8**

- -
 -
- Size: 36-48
- SFI: 3.3/5 available

**CLASSIC TB-2**

- -
- Size: 36-46

CREW**SUITS****ROCKET TM-1**

-
- Size: S-XXXL
- Hom: n/a

**ARMOR TM-2**

-
- Size: XXS-XXXXL
- Hom: SFI 3.2A/5-3.4

**ARMOR TB-4** NEW

-
-
- Size: 39-45
- available

**LASER TB-3**

-
- Size: 36-48
- available

**LASER TG-3.1**

-
-
- Size: 9-13
- available

MADE TO MEASURE SUIT TEMPLATE

NAME:	FLAG:
HEIGHT:	WEIGHT:
1	
4	
7	
10	
12	
15	
2	
5	
8	
11	
13	
16	
3	
6	
11b	
14	
16	

BELT: YES NO

DESIRED FIT: SLIM REGULAR LOOSE

NASCAR BOOTCUT: YES NO

COOLING HOLE: YES NOif YES LEFT RIGHT

POCKETS: CELL. NORMAL NONE

LOGOS: PRINT EMBROIDERY

MECHANIC FEATURES: YES NO



DOUBLE BELT LOOP

RADIO OR
ACCESSORIES LOOP

SHOULDER
WIRE CORD

BOOT CUT

SUITS - STANDARD SIZE CHART

Sizes listed are in cm and are for body measurements, not for the suit.

TS-10

(SLIM FIT)-SIZE	44	46	48	50	52	54	56	58	60	62	64	66
SHOULDERS	38,5	41	42,5	43	45	46,5	48	49,5	51	52	52,5	55
CHEST under armhole	78-82	82-86	86-90	90-94	94-98	98-102	102-106	106-110	110-114	114-118	118-122	122-126
WAIST	65-69	69-73	73-77	77-81	81-85	85-89	89-93	93-97	97-101	101-105	105-109	109-113
PELVIS at 20 cm from waist	77-81	81-85	85-89	89-93	93-97	97-101	101-105	105-109	109-113	113-117	117-121	121-125
THIGH 5 cm from crotch												
SLEEVES without cuff	59	60	61	62	63	64	65	66	67	68	68	70
OUTER LEG from waist without Cuff	98	99	100	101	102	103	104	105	106	107	108	109
INSIDE LEG without cuff	74	74,5	75	75,5	76	76,5	76	77,5	78	78,5	79	79,5
From neck in front to neck in back	146	149	152,5	155,5	158,5	162	165	168	171	174,5	177,5	180,5
HEIGHT	160-163	164-166	167-169	170-172	173-175	176-179	180-184	185-187	188-190	191-193	194-196	197-199
WEIGHT	42-48	49-54	55-60	61-66	67-72	73-78	79-84	85-90	91-96	97-102	103-108	109-114

TS-8 (REGULAR FIT)

	44	46	48	50	52	54	56	58	60	62	64	66
SHOULDERS	40	41	43	44	45,5	47	48	49,5	51	52,5	54	56
CHEST under armhole	86-90	90-94	94-98	98-102	102-106	106-110	110-114	114-118	118-122	122-126	126-130	130-134
WAIST	73-77	77-81	81-85	85-89	89-93	93-97	97-101	101-105	105-109	109-113	113-117	117-121
PELVIS at 20 cm from waist	85-89	89-93	93-97	97-101	101-105	105-109	109-113	113-117	117-121	121-125	125-129	129-133
THIGH 5 cm from crotch												
SLEEVES without cuff	58	59	60	61	62	63	64	65	66	67	68	69
OUTER LEG from waist without Cuff	101	102	103	104	105	106	107	108	109	110	111	112
INSIDE LEG without cuff	75	75,5	76	76,5	77	78	78,5	79	79,5	80	80,5	81
From neck in front to neck in back	149	153	156	159	162	165	169	172	174,5	178	181	184
HEIGHT	164-166	167-169	170-172	173-175	176-179	180-184	185-187	188-190	191-193	194-196	197-199	
WEIGHT	49-54	55-60	61-66	67-72	73-78	79-84	85-90	91-96	97-102	103-108	109-114	

TS-2 (COMFORT FIT)

	44	46	48	50	52	54	56	58	60	62	64	66
SHOULDERS	40	41	43	44	45,5	47	48	49,5	51	52,5	53,5	55
CHEST under armhole	86-90	90-94	94-98	98-102	102-106	106-110	110-114	114-118	118-122	122-126	126-130	130-134
WAIST	73-77	77-81	81-85	85-89	89-93	93-97	97-101	101-105	105-109	109-113	113-117	117-121
PELVIS at 20 cm from waist	85-89	89-93	93-97	97-101	101-105	105-109	109-113	113-117	117-121	121-125	125-129	129-133
THIGH 5 cm from crotch												
SLEEVES without cuff	60,5	61,5	62,5	63,5	64,5	65,5	66,5	67,5	68,5	69,5	70,5	71,5
OUTER LEG from waist without Cuff	101	102	103	104	105	106	107	108	109	110	111	112
INSIDE LEG without cuff	75	75,5	76	76,5	77	77,05.00	78	78,5	79	79,5	80	80,5
From neck in front to neck in back	150,5	154	157	160	163,5	166,5	170	173	176	179,5	182,5	185,5
HEIGHT	164-166	167-169	170-172	173-175	176-179	180-184	185-187	188-190	191-193	194-196		
WEIGHT	49-54	55-60	61-66	67-72	73-78	79-84	85-90	91-96	97-102	103-108	109-114	

TS-1 / TM-1 TM-2

SIZE	SIZE	CHEST	WAIST	HIPS	WEIGHT	HEIGHT
-	XXS	72-78	60-65	73-77	31-36	n/a
		78-82	65-69	77-81	37-42	n/a
XS	XS	82-86	69-73	81-85	43-48	160-163
		86-90	73-77	85-89	49-54	164-166
S	S	90-94	77-81	89-93	55-60	167-169
		94-98	81-85	93-97</		

SUITS - STANDARD SIZE CHART (WOMAN) - ON DEMAND

Sizes listed are in cm and are for body measurements, not for the suit.

SIZE	SIZE	SHOULDERS	BREAST	CHEST	WAIST	HIPS	WEIGHT	HEIGHT
XS	38	35-37	78-82	74-78	58-62	82-86	40-45	154-158
	40	36-38	82-86	78-82	62-66	86-90	45-50	157-161
S	42	37-39	86-90	82-86	66-70	90-94	50-55	160-164
	44	38-40	90-94	86-90	70-74	94-98	55-60	163-167
M	46	39-41	94-98	90-94	74-78	98-102	60-65	166-170
	48	40-42	98-102	94-98	78-82	102-106	65-70	168-172
L	50	41-43	102-106	98-102	82-86	106-110	70-75	170-174
	52	42-44	106-110	102-106	86-90	110-114	75-80	173-177
XL	54	43-45	110-114	106-110	90-94	114-118	80-85	176-180
	56	44-46	114-118	110-114	94-98	118-122	85-90	179-183
XXL	58	45-48	118-122	114-118	98-102	122-126	90-95	180-184
	60	46-49	122-126	118-122	102-106	126-130	95-100	182-186


UNDERWEAR - STANDARD SIZE CHART

Sizes listed are in cm and are for body measurements, not for the underwear.

	SIZE					
	XS-S	M-L		XL-XXL		
UI-600 (SLIM FIT)	S	M	L	XL	XXL	XXXL
UI-600 RF (REGULAR FIT)	S					
UI-200 (SLIM FIT)	S	M-L		XL-XXL		
CHEST	82-90	90-102	102-114	114-122	122-130	130-138
WAIST	69-77	77-89	89-101	101-109	109-117	117-125
HIPS	81-89	89-101	101-113	113-121	121-129	129-137
HEIGHT	162-166	167-175	176-187	188-193	194-199	n/a
WEIGHT(kg)	43-54	55-72	73-90	91-102	103-114	115-122

SHOES, SOCKS, GLOVES - STANDARD SIZE CHARTS

SHOES				SOCKS
FOOT LENGTH(cm)	EU SIZE	US SIZE	UK SIZE	SIZE
23	36	4	3,5	
23,5	37	5	4	
24	38	6	5	38/39
25	39	6,5	5,5	
25,5	40	7,5	6,5	40/41
26	41	8	7	
27	42	9	8	42/43
27,5	43	10	9	
28	44	10,5	9,5	44/45
29	45	11,5	10,5	
29,5	46	12	11	46
30	47	13	12	
31	48	14	13	




GLOVES		
HAND DIMENSIONS(cm)	SIZE	
20-21	8	XS
21-22	9	S
22-23	10	M
23-24	11	L
24-25	12	XL





CREATE YOUR OWN STYLE WITH NO LIMITS


SUBLIMATION PRINTING



EMBROIDERIES



INSERTS



TRANSFER



For further information
or to request a complimentary
consultation with an expert

SUITS



HERO SUPERLIGHT TS-10

Size	Sandwich weight	FIA	Available SFI	Made in Italy	Available	
46-66	265 g/m ²	8856-2018	3.2A/5 - 3.4	ITALY	FRIENDLY	EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT

SLIM FITTING

Top of the range driver suit, made of 100% Nomex®. Perfect Lightness and Breathability thanks to the 3d honeycomb lining. All materials exclusively designed by Sabelt in collaboration with the best motorsport teams and drivers. Hero Superlight TS-10 is Slim Fit made with ultrathin stitching and exclusive bi-stretch panel inserts. Made In Italy

Technical Details:

- Superlight: 265g/m²
- Slim fit
- Ultrathin stitch
- Bi-stretch elastic panel (Developed by Sabelt)
- Honeycomb lining (Developed by Sabelt)
- Lightweight cuffs (Developed by Sabelt)
- Pre-curved arms
- Full floating sleeves
- Frontal smartphone pocket
- YKK 3T Zipper (Developed by Sabelt)
- Lower neck collar
- FR homologated printing
- Sizes: 46-66
- Homologation: 8856-2018
- Composition: 100% Nomex
- Layers: 3



COLOURS/CODES	
	RFTITS10BINR..
	RFTITS10BLAZ..
	RFTITS10NRBI..
	RFTITS10RSBI..
	RFTITS10GRSGR.. NEW



MANUFACTURER: SABELT
MODEL: HERO SUPERLIGHT TS-10
HOM. NO: DC.108.20-O
FIA STANDARD: 8856-2018



HERO SUPERLIGHT WOMAN TS-10

Size	Sandwich weight	FIA	Available SFI	Made in Italy	Available	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
38-60	265 g/m ²	8856-2018	3.2A/5 - 3.4			

REGULAR FITTING

Top of the range driver suit, made of 100% Nomex® developed by women for women. Perfect Lightness and Breathability thanks to the 3d honeycomb lining. All materials exclusively designed by Sabelt in collaboration with the best motorsport teams and drivers. Hero Superlight TS-10 is Slim Fit made with ultrathin stitching and exclusive bi-stretch panel inserts. Made in Italy

Technical Details:

- Superlight: 265g/m²
- Slim fit
- Ultrathin stitch
- Bi-stretch elastic panel (Developed by Sabelt)
- Honeycomb lining (Developed by Sabelt)
- Lightweight cuffs (Developed by Sabelt)
- Pre-curved arms
- Full floating sleeves
- Frontal smartphone pocket
- YKK 3T Zipper (Developed by Sabelt)
- Lower neck collar
- FR homologated printing
- Sizes: 36-60
- Homologation: 8856-2018
- Composition: 100% Nomex
- Layers: 3



COLOURS/CODES	
	RFTUTS10WRFL..
	RFTUTS10WBI..
	RFTUTS10WNR..



MANUFACTURER: SABELT
MODEL: HERO SUPERLIGHT TS-10
HOM. NO: DC.108.20-O
FIA STANDARD: 8856-2018



UNIVERSE TS-8

Size	Sandwich weight	FIA	Available SFI	Made in Italy	Available	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
44-66	310 g/m ²	8856-2018	3.2A/5 - 3.4			

REGULAR FITTING

Professional driver suit, made of 100% Nomex®. Perfect Lightness and Breathability thanks to the 2 layers construction. All materials exclusively designed by Sabelt in collaboration with the best motorsport teams and drivers. Universe TS-8 is Slim Fit and is made with ultrathin stitching and share the same external fabric of our Hero Superlight TS-10. Made in Italy

Technical Details:

- Superlight: 310g/m²
- Slim fit
- Ultrathin stitch
- Bi-stretch elastic panel (Developed by Sabelt)
- Double lining (Developed by Sabelt)
- Pre-curved arms
- Full floating sleeves
- Lateral Pockets
- YKK 3T Zipper (Developed by Sabelt)
- Lower neck collar
- Embroidered customization
- Sizes: 44-66
- Homologation: 8856-2018
- Composition: 100% Nomex
- Layers: 2



COLOURS/CODES	
	RFTUTS8BI..
	RFTUTS8RS..
	RFTUTS8BL..
	RFTUTS8NR..



MANUFACTURER: SABELT
MODEL: TS-8
HOM. NO: DC.279.22-O
FIA STANDARD: 8856-2018



CHALLENGE TS-2

Size	Sandwich weight	FIA	Available SFI	Made in Italy	Available	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
44-66	360 g/m ²	8856-2018	3.2A/5 - 3.4			

COMFORT FITTING

Professional Driver suit, made of 100% aramidic fiber.
Improved lightness and breathability thanks to the two layers construction.
All materials exclusively designed by Sabelt in collaboration with the best motorsport teams and drivers.
Challenge TS-2 shows the iconic racing square quilting and other technical features appreciated in rally application (full floating sleeves, pockets, belt).
Made in Italy

Technical Details:

- Weight: 360g/m²
- Lightweight external layer (Developed by Sabelt)
- Lightweight cuffs (Developed by Sabelt)
- Full floating sleeves
- Pocket
- Belt
- YKK 3T Zipper (Developed by Sabelt)
- Lower neck collar
- Embroidered logos
- Sizes: 44-66
- Homologation: 8856-2018
- Composition: 100% Aramidic fiber
- Layers: 2



COLOURS/CODES	
	RFTITS2NR..
	RFTITS2RS..
	RFTITS2BI..
	RFTITS2BL..
	RFTITS2NRGFL..



MANUFACTURER: SABELT
MODEL: CHALLENGE TS-2
HOM. NO: DC.116.21-O
FIA STANDARD: 8856-2018

SPIRIT TS-1

Size	Sandwich weight	FIA	Made in Italy	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
S-XXXL	400 g/m ²	8856-2018		

REGULAR FITTING

Professional Driver suit, made of 100% aramidic fiber.
Improved lightness and breathability thanks to the two layers construction.
Spirit TS-1 is an entry level suit but is with high-range features like: bi-color construction, elastic panel, belt, lateral pockets and full floating sleeves.

Technical Details:

- Weight: 400g/m²
- Full floating sleeves
- Elastic panel
- Pocket
- Belt
- Lower neck collar
- Embroidered logos
- Sizes: S-XXXL
- Homologation: 8856-2018
- Composition: 100% Aramidic fiber
- Layers: 2



COLOURS/CODES	
	RFTUTS1NR..



MANUFACTURER: SABELT
MODEL: TS-1
HOM. NO: DC.227.22-O
FIA STANDARD: 8856-2018

TS-SUBLIMATION

Size	Sandwich weight	FIA	Made in Italy
MADE TO MEASURE	440 g/m ²	8856-2018	IT



EXCLUSIVE TECHNICAL
SOLUTION
MADE IN SABELT

COMFORT FITTING

Professional Driver suit,
fully customizable.

All materials exclusively designed
by Sabelt to ensure
performance and style.

TS-SUBLIMATION
is fully customizable thanks
to the sublimation printing
on external fabric.

Technical Details:

- Superlight: 440 g/m²
- Slim fit
- Ultrathin stitch
- Bi-stretch elastic panel
(Developed by Sabelt)
- Pre-curved arms
- Full floating sleeves
- Lateral Pockets
- YKK 3T Zipper
(Developed by Sabelt)
- Lower neck collar
- Embroidered customization
- Sizes: 44-66
- Homologation: 8856-2018
- Layers: 2



MANUFACTURER: SABELT
MODEL: TS-SUBLIMATION
HOM. NO: DC.346.23-O
FIA STANDARD: 8856-2018



**CREATE
YOUR OWN STYLE
WITH NO LIMITS**



DAKAR JACKET

Size	FIA	Made in Italy	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
S-XXL	8856-2018		

Sabelt fireproof outerwear, designed to meet the needs of rally raid drivers. Thermal comfort during race transfers in cold weather conditions and in the event of rain. The technology of the materials ensures maximum safety in terms of flame resistance. Thanks to an impermeable membrane, the jacket is completely waterproof and windproof.

THE OUTER FABRIC IS FULLY CUSTOMIZABLE THANKS TO THE TS-SUBLIMATION TECHNOLOGY.

All materials exclusively designed by Sabelt to ensure performance and style.

TS-SUBLIMATION is fully customizable thanks to the sublimation printing on external fabric.

Technical Details:

- Standard fit
- Shoulder handle
- YKK 3T zipper
- Composition: 25% polyester 75% Nomex
- Sizes : S-XXL
- Internal hidden chest pocket
- Lateral pockets
- fireproof
- Waterproof
- Windproof



COLOURS/CODES
 RFSPWJ10TG..



MANUFACTURER: SABELT
MODEL: DAKAR TJ-1
HOM. NO: DC.435.24-R
FIA STANDARD: 8856-2018

COOL-VEST

Size	FIA	Made in Italy	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
XS/S - M/L - XL/XXL	-		



THE OUTER FABRIC IS FULLY CUSTOMIZABLE THANKS TO THE TS-SUBLIMATION TECHNOLOGY.

- Cool-vest designed to reduce heat exhaustion/heat fatigue improving focus
- Gilet slim fitting
- Removable and rechargeable cooling inserts
- Cooling inserts (4 full sets) included in packaging and re-orderable separately activated by simply placing in freezer for at least 30 min
- Cooling inserts PCM bio-based, non toxic, 100% biodegradable, low rate of flammability, durable, reusable, 20% lightweight saving vs H2O based.

COLOURS/CODES
 RFTVC000TG..



RCTVC000CP15

Sabelt

CONSTANT TEMPERATURE COOLING PACKS

For when exact temperatures matter.

PACKS

29°C / 84°F	24°C / 75°F
21°C / 70°F	15°C / 59°F
29°C / 84°F	6.5°C / 44°F

Our renewable bio-based Phase Change Material (PCM) cooling technology, is produced with materials of vegetable origin. Our INUTEQ PACY products out-perform paraffin and salt hydrates PCM in a number of areas:

- Improved fire safety
- Long term stability
- High latent heat capacities
- Safer handling
- Sourced from recyclable materials

Available in 5 different temperatures:

6.5°C / 44°F	Art. nr: 1364022908 (Sport)
15°C / 59°F	Art. nr: 1364021508 (Sport)
21°C / 70°F	Art. nr: 1364022108 (Work)
24°C / 75°F	Art. nr: 1364022408 (Work)
29°C / 84°F	Art. nr: 1364022908 (Work)

Our bio-based PCM is non-toxic, 100% biodegradable, low-flammable, durable, reusable, 20% lighter than water, and do not produce condensation.

Activation: Simply put the product in ice water, refrigerator or freezer or store it at a lower temperature until it becomes fully solid.

Cooling duration: 1 up to 4.5 hours ~ depending selected PCM temperature.

Weight: Approx. 0.35kg per insert (4 total)

Sizes one element: One pack = 15 cm x 31,4 cm 5.9 inch x 12,36 inch

Components: INUTEQ-SEAL®

*Please order the bio-based PCM inserts (set of 4 units) separately.

When the ambient temperature rises, the PCM starts to melt. During the phase transition, the heat stored energy is released. When the ambient temperature falls, the PCM starts to recrystallize. When the PCM starts to recrystallize, it releases the stored latent heat, while maintaining current temperature, until all latent heat has been released.

INUTEQ
PERSONAL COOLING

SHOES



HYPER TB-12

NEW

Size	FIA	Made in Italy
38-46	8856-2018	🇮🇹

EXCLUSIVE TECHNICAL
SOLUTION
MADE IN SABELT

Top of range professional shoe made of fabric.
A new design has been created to better fit the foot shape. Wider plant, but essential design to ensure lightness and performance.
The double outer fabric allows a greater resistance and therefore support the foot.
In addition, the outer front is reinforced with a fabric specially developed for abrasion resistance.
Made in Italy.

Technical Details:

- Upper: fabric 100% nomex
- Antiabrasion fabric reinforcement
- Lining: Breathable honeycomb 3D
- Outer sole: 100% natural rubber
- Closure system: flat aramidic laces
- Fireproof TPU Heel reinforcement
- Printed logos
- Sizes: 38-46
- Homologation: 8856-2018



COLOURS/CODES	
■	RFTB12NR..



HERO PRO TB-10.1

Size	FIA	Made in Italy	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
36-48	8856-2018		

Top of the range racing shoes made of kangaroo leather. Lightweight and comfortable thanks to the superthin kangaroo leather and very breathable with the 3d honeycomb lining developed by Sabelt. Super flexible for the strobol construction, Hero Pro TB-10 offers the top of pedal sensibility with its NEW ultra flat outersole. Removable insole is very flexible and is made of real carbon fiber laminated in autoclave. Anti-abrasion reinforcements are placed in dedicated areas. Made In Italy.

Technical Details:

- Upper: Ultrathin & perforated kangaroo leather
- Lining: Breathable honeycomb 3d
- Outersole: 100% natural rubber
- External reinforcement
- Closure system: aramidic laces
- Padded ankle and tongue
- Removable insole in carbon
- Printed logos
- Sizes: 36-48
- Homologation: 8856-2018



COLOURS/CODES	
	RFTB101NR..
	RFTB101RS..
	RFTB101BL..
	RFTB101BI..



MANUFACTURER: SABELT
MODEL: HERO PRO TB-10
HOM. NO: DC.098.20-Z
FIA STANDARD: 8856-2018



UNIVERSE TB-8

Size	FIA	Available SFI	Made in Italy	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
36-48	8856-2018	3.3/5		

Professional racing shoes made of strong calf leather. Lightweight and comfortable thanks to the calf leather and very breathable with the 3d honeycomb lining developed by Sabelt. It's Long lasting, durable shoes for your racing career. Traditional construction is combined with new generation materials. Removable insole is very flexible and comfortable. Anti abrasion reinforcements are placed in dedicated areas. Made In Italy.

Technical Details:

- Upper: Ultrastrong calf leather
- Lining: Breathable honeycomb 3d
- Outersole: 100% natural rubber
- External reinforcement
- Closure system: aramidic laces
- Padded ankle and tongue
- Removable insole
- Printed logos
- Sizes: 36-48
- Homologation: 8856-2018



COLOURS/CODES	
	RFTB8NR..
	RFTB8RS..
	RFTB8BI..



MANUFACTURER: SABELT
MODEL: TB-8
HOM. NO: DC.272.22-Z
FIA STANDARD: 8856-2018



CLASSIC TB-2

Size	FIA	Made in Italy
36-46	8856-2018	ITALY



EXCLUSIVE TECHNICAL
SOLUTION
MADE IN SABELT

Professional driver racing shoe made of soft suede leather. Comfortable and breathable with the 3d honeycomb lining developed by Sabelt. Classic TB-2 is the iconic Sabelt shoe, well known all around the world for its classic design appreciated also in everyday use. Made in Italy.

Technical Details:

- Upper: Suede leather
- Lining: Breathable honeycomb 3d
- Outersole: 100% natural rubber
- Closure system: aramidic laces
- Padded ankle and tongue
- Printed logos
- Sizes: 36-46
- Homologation: 8856-2018



COLOURS/CODES	
■	RFTB02CLASSICNR..
■	RFTB02CLASSICRS..



MANUFACTURER: SABELT
MODEL: TB-2
HOM. NO: DC.118.21-Z
FIA STANDARD: 8856-2018



GLOVES



GECKOTECH TG-11

NEW

Size	FIA	Made in Italy
8-12	8856-2018	🇮🇹

The new Geckotech TG-11 has been developed with new high performance injection silicone palm to ensure maximum grip on the steering wheel and a new breathable fabric for the best driving comfort.

Technical Details:

- Palm: injection silicone
- Breathable external layers
- External Stitching
- Elasticated wrist
- Pre-curved ergonomic design
- Printed logos
- Sizes: 8-12
- Homologation: 8856-2018



COLOURS/CODES	
■	RFTG11NR..
■	RFTG11RS..
■	RFTG11BI..
■	RFTG11GR.. NEW



HERO SUPERLIGHT TG-10

Size	FIA	SFI	Made in Italy
8-12	8856-2018	🇮🇹

Hero Superlight TG-10 is the Sabelt Top of the range Glove developed for the most demanding professional drivers in motorsport. Its strength is the ergonomic side with a perfect fitting and steering wheel feeling. External stitching to improve driver sensibility and a special silicone print for the maximum grip. Hero Superlight TG-10 includes also specific palm pad and elasticated wrist. Made In Italy.

Technical Details:

- Back: single layer
- Palm: superthin
- External Stitching
- Silicone palm print for grip
- Palm internal pad for comfort
- Elasticated wrist
- Pre-curved ergonomic design
- Printed logos
- Sizes: 8-12
- Homologation: 8856-2018



COLOURS/CODES	
■	RFTG10NR..
■	RFTG10RS..
■	RFTG10BL..
□	RFTG10BI..
■	RFTG10GFL..



CHALLENGE TG-2.1

Size	FIA	Made in Italy
8-12	8856-2018	🇮🇹

Challenge TG-2 is the professional driver glove with suede leather palm. Its strengths are: simple design and strong resistance. Precurved fingers, internal stitching and printed design are other important elements of this Sabelt glove. Made In Italy.

Technical Details:

- Precurved design
- Back and Palm made of resistant aramidic fiber
- Internal Stitching
- Palm with suede leather insert for grip
- Printed logos
- Sizes: 8-12
- Homologation: 8856-2018



COLOURS/CODES	
■	RFTG21NR..
■	RFTG21RS..
■	RFTG21BL..



UNDERWEAR



UI-600

FIA

8856-2018

 EXCLUSIVE TECHNICAL
SOLUTION
MADE IN SABELT

UNIQUE MATERIAL FOR
SEAMLESS TECHNOLOGY

UI-600 Top

UI-600 Top is the Sabelt top of the range top underwear. Developed with seamless technology and slim fit. This underwear is used and appreciated by the most important Sabelt drivers for its lightness: it's the must have underwear in the paddock thanks to its features. Made in Italy.

Details:

- Lightweight material
- Construction: Seamless
- Fit: slim fit
- Printed logo
- Homologation: 8856-2018

UI-600 Pant

UI-600 Pant is the Sabelt top of the range bottom underwear. Slim fit and developed with seamless technology. Made in Italy.

Details:

- Lightweight material
- Construction: Seamless
- Fit: slim fit
- Printed logo
- Homologation: 8856-2018

UI-600 Balacalva

UI-600 Balacalva is the Sabelt top of the range balacalva underwear. Developed with the same material of the UI-600 Top and Pants but with a specific construction dedicated to increase driver comfort. This Balacalva offers two lateral stitches to reduce the helmet pressure. Made in Italy.

Details:

- Lightweight material
- Lateral Stitching
- Improved wearability
- Printed logo
- Homologation: 8856-2018

UI-600 Socks

UI-600 Socks is the Top of the range Sabelt Sock. Developed with the same material used in Top and Pants but with a gradual compression construction. Hand made frontal stitching in finger area to increase comfort. The under foot area is flat to guarantee the better pedal feeling. Made in Italy.

Details:

- Lightweight material
- Gradual Compression Technology
- Improved wearability
- Hand made frontal stitch
- Flat under foot area for pedal feeling
- Printed logo
- Homologation: 8856-2018

BALACLAVA

- | | |
|-------------------------------------|----------------|
| <input type="checkbox"/> | RFUI600BALBI.. |
| <input checked="" type="checkbox"/> | RFUI600BALNR.. |

Sizes: ONE SIZE



APPROVED

MANUFACTURER: SABELT
MODEL: UI-600 BALACLAVA
HOM. NO: DC.099.20-B
FIA STANDARD: 8856-2018

TOP

- | | |
|-------------------------------------|-----------------|
| <input type="checkbox"/> | RFUI600PANTBI.. |
| <input checked="" type="checkbox"/> | RFUI600PANTNR.. |

Sizes: XS-XXXXL



APPROVED

MANUFACTURER: SABELT
MODEL: UI-600 TOP
HOM. NO: DC.100.20-T
FIA STANDARD: 8856-2018

PANT

- | | |
|-------------------------------------|-------------------|
| <input type="checkbox"/> | Z150UI600SOCKSB.. |
| <input checked="" type="checkbox"/> | Z150UI600SOCKSN.. |

Sizes: XS-XXL



APPROVED

MANUFACTURER: SABELT
MODEL: UI-600 PANT
HOM. NO: DC.101.20-L
FIA STANDARD: 8856-2018

SOCK

- | | |
|-------------------------------------|-------------------|
| <input type="checkbox"/> | Z150UI600SOCKSB.. |
| <input checked="" type="checkbox"/> | Z150UI600SOCKSN.. |

Sizes: 39-46



APPROVED

MANUFACTURER: SABELT
MODEL: UI-600 SOCKS
HOM. NO: DC.088.20-S
FIA STANDARD: 8856-2018



New
Aramidic/Viscosa
material

UI-600 RF

FIA	 EXCLUSIVE TECHNICAL MADE IN SABELT
8856-2018	

UI-600 RF Top

UI-600 RF Top is the Sabelt top of the range Top underwear in regular fit version.

The regular fit construction is developed to satisfy professional drivers and mechanics who look for more comfort.

Available in white and black colour.

This underwear is used and appreciated by the most important Sabelt drivers for its lightness.

Made in Italy.

Details:

- Lightweight material
- Tailor packaged construction
- Fit: regular fit
- Colours: White - Black
- Printed logo
- Sizes: S-XXL
- Homologation: 8856-2018

UI-600 RF Pant

UI-600 RF Pant is the Sabelt top of the range Bottom underwear in regular fit version.

The regular fit construction is developed to satisfy professional drivers and mechanics who look for more comfort.

Available in white and black colour.

This underwear is used and appreciated by the most important Sabelt drivers for its lightness.

Made in Italy.

Details:

- Lightweight material
- Tailor packaged construction
- Fit: regular fit
- Colours: White - Black
- Printed logo
- Sizes: S-XXL
- Homologation: 8856-2018



TOP
<input type="checkbox"/> RFUI600TOPRFBI..
<input checked="" type="checkbox"/> RFUI600TOPRFNR..
Sizes: S-XXXL

 APPROVED
MANUFACTURER: SABELT MODEL: UI-600 RF TOP HOM. NO: DC.181.21-T FIA STANDARD: 8856-2018

PANT
<input type="checkbox"/> RFUI600PANTRFB..
<input checked="" type="checkbox"/> RFUI600PANTRFN..
Sizes: S-XXXL

 APPROVED
MANUFACTURER: SABELT MODEL: UI-600 RF PANT HOM. NO: D.182.21-L FIA STANDARD: 8856-2018

UI-200

FIA	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
8856-2018	

UI-200 Top

UI-200 Top is the Sabelt entry Top underwear for professional drivers. Its construction is made with seamless technology in slim fit sizes. Available in optic white and black colour. This underwear is used and appreciated by the most important Sabelt drivers for its lightness. Made in Italy.

Details:

- Lightweight material
- Construction: Seamless
- Fit: slim fit
- Printed logo
- Sizes: XS-XXL
- Homologation: 8856-2018

UI-200 Pant

UI-200 Pant is the Sabelt entry Bottom underwear for professional drivers. Its construction is made with seamless technology in slim fit sizes. Available in optic white and black colour. This underwear is used and appreciated by the most important Sabelt drivers for its lightness. Made in Italy.

Details:

- Lightweight material
- Construction: Seamless
- Fit: slim fit
- Printed logo
- Sizes: XS-XXL
- Homologation: 8856-2018

UI-200 Balacalva

UI-200 Balacalva is the Sabelt entry Balacalva underwear for professional drivers. Developed with the same material of the UI-200 Top and Pants but with a specific construction developed to increase driver comfort. This Balacalva offers a central stitch on top and a wide front opening. Available in optic white and black colour. This underwear is used and appreciated by the most important Sabelt drivers for its lightness. Made in Italy.

Details:

- Lightweight material
- Central stitch on top
- Increased wearability
- Printed logo
- Sizes: one size
- Homologation: 8856-2018

BALACLAVA
<input type="checkbox"/> RFUI200BALB
Sizes: ONE SIZE

 APPROVED
MANUFACTURER: SABELT MODEL: UI-200 BALACLAVA HOM. NO: DC.241.22-B FIA STANDARD: 8856-2018



TOP
<input type="checkbox"/> RFUI200TOPBI..
<input checked="" type="checkbox"/> RFUI200TOPNR..
Sizes: XS-XXL

 APPROVED
MANUFACTURER: SABELT MODEL: UI-200 TOP HOM. NO: DC.239.22-T FIA STANDARD: 8856-2018

PANT
<input type="checkbox"/> RFUI200PANTBI..
<input checked="" type="checkbox"/> RFUI200PANTNR..
Sizes: XS-XXL

 APPROVED
MANUFACTURER: SABELT MODEL: UI-200 PANT HOM. NO: DC.240.22-L FIA STANDARD: 8856-2018

UI-300 PERSONAL UNDERWEAR

FIA
8856-2018  EXCLUSIVE TECHNICAL
SOLUTION
MADE IN SABELT

SEAMLESS CONSTRUCTION
COMPOSITION WITH NATURAL FIBERS

! Personal underwear
is not mandatory
to be worn during
racing events.

FIA approved PU
is mandatory when
it is worn by drivers.

UI-300

Boxer man, Bra woman, Slip woman

All the Personal Underwear products
are made with high percentage of
natural fibers in order to guarantee a
natural feeling to the drivers' skin.



BOXER (man)
RFUI300BOXNR..
Sizes: M - L

SLIP (woman)
RFUI300SLIPNR..
Sizes: M - L

BRA
RFUI300BRANR..
Sizes: M - L

 APPROVED
MANUFACTURER: SABELT
MODEL: UI-300 SHORTS
HOM. NO: DC.368.23-W
FIA STANDARD: 8856-2018

 APPROVED
MANUFACTURER: SABELT
MODEL: UI-300 SLIP
HOM. NO: DC.367.23-W
FIA STANDARD: 8856-2018

 APPROVED
MANUFACTURER: SABELT
MODEL: UI-300 BRA
HOM. NO: DC.366.23-W
FIA STANDARD: 8856-2018



CREW



ARMOR TM-2

Size	Sandwich weight	SFI	Made in Italy	Colour/Code
XXS-XXXXL	360 g/m ²	3.2A/5 - 3.4	ITALY	RFTUTM2NR..



EXCLUSIVE TECHNICAL
SOLUTION
MADE IN SABELT

AMERICAN FITTING

Professional 2 Pieces Mechanic suit, made of 100% aramidic fiber. Improved lightness and breathability thanks to the two layers construction. All materials exclusively designed by Sabelt in collaboration with the best motorsport teams and drivers. Armour TM-2 shows the iconic racing square quilting and other technical features appreciated in rally application (full floating sleeves, pockets, belt). Made In Italy.

Technical Details:

- Weight: 360g/m²
- Lightweight external layer (Developed by Sabelt)
- Composed by 2 pieces, jacket and bottom
- Mechanic feature
- Full floating sleeves
- Pocket
- Belt
- YKK 3T Zipper (Developed by Sabelt)
- Embroidered logos
- Sizes: XXS-XXXXL
- Homologation: 8856-2018
- Composition: 100% Aramidic fiber
- Layers: 2



ROCKET TM-1

Size	Sandwich weight	Hom.	Made in Italy	Colour/Code	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
S-XXXL	400 g/m ²	n/a		 RFTUTM1NR..	

Professional Crew Suit made of Polyester / Cotton.
Improved lightness and breathability thanks to the perforated lining.
The Rocket TM-1 is a very resistant mechanic suit designed with the same family feeling of the Sabelt racing suit.
Full floating sleeves, lateral pockets, belt and embroidered logos are some of interesting details of this product.

Technical Details:

- Composition: Polyester / Cotton
- Full floating sleeves
- Breathable perforated lining
- Waist internal elastic tape
- Pocket
- Belt
- Lower neck collar
- Embroidered logos
- Sizes: S-XXXL
- Homologation: N/A
- Layers: 2



ARMOR TB-4

Size	FIA	Made in Italy	Available	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
39-45	8856-2018			

New mechanic shoe, designed to meet the needs of mechanics on the track 24 hours a day.
The new fireproof EVA sole allows for greater comfort and support throughout the day.
The upper is in leather, with fabric inserts to ensure structure and breathability.

Technical Details:

- Upper: calf leather
- Lining: Breathable honeycomb 3d
- Outer sole: 100% fireproof EVA (ethyl acetate)
- The microphose EVA is particularly light and at the same time is resistant, maintaining excellent flexibility even at low temperatures, making shoes more comfortable and safeguarding the health of the wearer.)
- Closure system: flat aramidic laces
- Fabrics inserts
- Printed logos
- Sizes: ...
- Homologation : 8856-2018


COLOURS/CODES

	RFTB04NR..
---	------------



LASER TB-3

Size	FIA	Made in Italy	Available	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
36-48	8856-2018			

Shoes created for professional drivers and crew, made of perforated calf leather.

Very breathable with the 3d honeycomb lining developed by Sabelt.

Laser TB-3 is a modern sneaker Fia homologated developed for drivers and crew members that look for a different style.

It's the Different choice!

The outersole with shock absorber is recommended to many hours of activity.

Made In Italy.

Technical Details:

- Upper: Perforated calf leather
- Lining: Breathable honeycomb 3d
- Outersole: 100% natural rubber
- Shock absorber material
- Closure system: aramidic laces & strap
- Padded ankle and tongue
- Gusseted tongue
- Reinforced toe-cap
- Removable insole
- Printed logos
- Sizes: 36-48
- Homologation: 8856-2018



LASER TG-3.1

Size	FIA	Made in Italy	Available	 EXCLUSIVE TECHNICAL SOLUTION MADE IN SABELT
9-13	8856-2018			

Laser TG-3 is the Sabelt top of the range Mechanic glove developed with the crew members of most important teams in WEC discipline and Fia homologated.

This model has many technical details as the anti-impact knuckles pad. Total padded wrist strap that protect the crew during the rapid tires change. Super grip suede leather application into the palm to increased heat protection and a specific silicone area for the wheel gun operations. Made In Italy.

Technical Details:

- Back: single layer
- Palm: Superthin
- Internal Stitching
- Suede leather palm insert for heat protection
- Silicone Wheel gun protection
- Knuckles protection
- Padded wrist strap
- Precurved design
- Printed logos
- Sizes: 9-13
- Homologation: 8856-2018



COLOURS/CODES	
	RFTB03LASERNR..
	RFTB03LASERBI..



MANUFACTURER: SABELT
MODEL: LASER TB-3
HOM. NO: DC.115.21-Z
FIA STANDARD: 8856-2018

COLOURS/CODES	
	RFTG31NR..
	RFTG31GFL..



MANUFACTURER: SABELT
MODEL: LASER TG-3
HOM. NO: DC.122.21-G
FIA STANDARD: 8856-2018



STEERING WHEELS

Sabelt®

SW-833

Ø 330 mm

CODE	RFV02029
30% LIGHTER	

**SW-633**

Ø 330 mm

CODE	RFV02010X
NO STITCHING	

**SW-465**

Ø 350 mm

CODE	RFV02009X
NO STITCHING	

**SW-732**

Ø 320 mm

CODE	RFV02038
NO STITCHING	

**SW-733**

Ø 330 mm

CODE	RFV02026
NO STITCHING	

**SW-635**

Ø 350 mm

CODE	RFV02007X
NO STITCHING	

**SW-390**

Ø 350 mm

CODE	RFV02005X
NO STITCHING	



ACCESSORIES



QUICK RELEASE



STEERING WHEEL PROTECTION PAD



NEW

RCVOPAD001

Protection pad with 3 velcro loops to attach to any racing steering wheel.
CONFOR™ foam CF45M (blu) compatible with FIA Appendix J Article 285 (August 2020).

TOW STRAP

Length: 260 mm.
Hole diameter: 15,5 mm.



CCAC0023_A

CCAC0027_A

CCAC0024_A

CCAC0028_A

CCAC0026_A


CCAC0025_A

DOOR STRAP



CCAC0043_A

Door strap to be fixed on the door panel. Length: 220 mm. Hole diameter: 9,5 mm.



NOTEBOOK

Z240600

Size 22 x 17,5 cm

CO-DRIVER POCKET

Nomex fabric.
Velcro locking.
Size 17 x 23 cm.



RFTINAVRS RFTINAVBR RFTINAVBI RFTINAVNR

CO-DRIVER BAG

Co-Driver bag, very thin. Velcro back panel for door bars universal fixation, phone compartment and external pockets.



COLOURS/CODES		
	RFBS0039	27x36x7 cm

WEEKEND BAG

Premium quality canvas



COLOURS/CODES		
	RFBS0016NR	55x37x23 cm
	RFBS0016RS	

SUIT BAG

COLOURS/CODES		
	RFBS0015	46x34x10 cm

**K-WAY**

COLOURS/CODES		Sizes
	RSPW014BL...	XS-XXL

Sabelt
SIM|RACING



sabeltsimracing.com

Instagram Facebook YouTube Twitter

#FROMREALTOSIM